

### PATENT COOPERATION TREATY **PCT**

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the	Patent Cooperation Treaty)	

REC'D 2 3 MAY 2006

(PCT Article 36 and Rule 70)

	,		المسارات بالم	PC
Applicant's or agent's file reference 12638290/EJH/ar	FOR FURTHER ACTI	ON S	See Form PCT/IPEA/416	_
International application No. <b>PCT</b> /IB2005/001771	International filing date ( 31 March 2005	(day/month/year)	Priority date <i>(day/month/year)</i> 31 March 2004	
International Patent Classification (IPC) or	national classification and	IPC		İ
Int. Cl.	•			
C12N 5/02 (2006.01)	C12N 15/29 (2006.01)	)	•	
Applicant				
HEXIMA LIMITED et al			•	
				_
1. This report is the international prelimin	ary examination report, est	tablished by this Inte	rnational Preliminary Examining	
Authority under Article 35 and transmit	tted to the applicant accord	ling to Article 30.		
2. This REPORT consists of a total of 4		er sheet.		
3. This report is also accompanied by AN.			0.11	
a. $X$ (sent to the applicant and to the				
x sheets of the description, sheets containing rectificated Administrative Instruction	ations authorized by this A	nich have been amen uthority (see Rule 70	ded and are the basis for this report and/on 0.16 and Section 607 of the	r
sheets which supersede ea the disclosure in the inter- Box.	arlier sheets, but which this national application as file	s Authority considers d, as indicated in iter	s contain an amendment that goes beyond m 4 of Box No. I and the Supplemental	
b. (sent to the International Burea a sequence listing and/or table Sequence Listing (see Section	related thereto, in electron	ic form only, as indi-	Felectronic carrier(s)) , containing cated in the Supplemental Box Relating to	
4. This report contains indications relating				
X Box No. I Basis of the repo	ort			
Box No. II Priority			•	
Box No. III Non-establishme	ent of opinion with regard	to novelty, inventive	step and industrial applicability	
Box No. IV Lack of unity of	invention			
Box No. V  Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
Box No. VI Certain docume	nts cited			
Box No. VII Certain defects	in the international applica	tion		
X Box No. VIII Certain observa	tions on the international a	pplication		
Date of submission of the demand	Г	Date of completion of	f this report	
9 November 2005		0 May 2006		
Name and mailing address of the IPEA/AU	· A	Authorized Officer		
AUSTRALIAN PATENT OFFICE				
PO BOX 200, WODEN ACT 2606, AUSTRA E-mail address: pct@ipaustralia.gov.au	`	Gareth Cook		
Facsimile No. (02) 6285 3929		Γelephone No. (02) (	6283 2541	

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/IB2005/001771

Box	No. I	
1.	With	regard to the language, this report is based on:
	X	The international application in the language in which it was filed
		A translation of the international application into , which is the language of a translation furnished for the purposes of:
		international search (under Rules 12.3(a) and 23.1 (b))
		publication of the international application (under Rule 12.4(a))
		international preliminary examination (Rules 55.2(a) and/or 55.3(a))
2.	furni	regard to the <b>elements</b> of the international application, this report is based on (replacement sheets which have been ished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally " and are not annexed to this report):
		the international application as originally filed/furnished
	X	the description:
		pages 1-54 as originally filed/furnished
		pages* received by this Authority on with the letter of
		pages* received by this Authority on with the letter of
	X	the claims:
		pages as originally filed/furnished  pages* as amended (together with any statement) under Article 19
		pages* as amended (together with any statement) under Article 19 pages* 55-58 received by this Authority on 21 April 2006 with the letter of 21 April 2006
	•	pages* received by this Authority on with the letter of
	X	the drawings:
	<u> </u>	pages 1/12-12/12 as originally filed/furnished
		pages* received by this Authority on with the letter of pages* received by this Authority on with the letter of
-14	$\Box$	a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
3.		The amendments have resulted in the cancellation of:
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
		the description, pages
		the claims, Nos.
		the drawings, sheets/figs
		the sequence listing (specify):
		any table(s) related to the sequence listing (specify):
*	If i	item 4 applies, some or all of those sheets may be marked "superseded."

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/IB2005/001771

Box No. V	Reasoned statement uncitations and explanation	der Article 35(2) with regard to novelty, in ons supporting such statement	nventive step or industrial applicability;
1. Statement			
No	ovelty (N)	Claims 1-32	YES
		Claims	NO
In	ventive step (IS)	Claims 1-32	YES
		Claims .	NO
. In	ndustrial applicability (IA)	Claims 1-32	YES
	· ·	Claims	NO

2. Citations and explanations (Rule 70.7)

### NOVELTY (N) AND INVENTIVE STEP (IS)

Claims 1-32 meet the criteria set forth in PCT Article 33(2) for novelty and PCT Article 33(3) for inventive step. The prior art documents cited in the International Search report do not teach or suggest using a hydrophobic fraction of AGP isolated from embryogenic tissue to foster somatic embryogenesis. Thus claims 1-22 and 28 are considered to be novel and inventive. The prior art documents cited in the International Search report do not teach or suggest using the phytocyanin-like domain of embryogenic AGPs. Thus claims 23-27 and 29-32 are considered to be novel and inventive.

### INDUSTRIAL APPLICABILITY (IA)

Claims 1-32 meet the requirements of the PCT in respect to Industrial Applicability.

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

**PCT**/IB2005/001771

## Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

The new claims filed on the 21 April 2006 suffer from the same lack of clarity as the claims as originally filed. That is, there remains a lack of clarity with regard to the term "embryogenic AGP" as it appears in the description and in the claims (claims 1-27 and 29-32). In particular the description gives contradictory statements as to the full scope of the term. At p14, lines 21-26, the application has limited the term "embryogenic AGP" to describe AGP that is derived from embryogenic callus. In contrast, at p16, lines 27-28, the term "embryogenic AGP" is not limited to being derived from embryogenic callus. Therefore it is not clear what the scope of the term is.

If the applicant wishes the term "embryogenic AGP" to have a particular meaning distinct from the ordinary meaning to the person skilled in the art, the applicant should make clear statements to that effect.

For the purposes of this report, the term "embryogenic AGP" has been construed as "AGP(s) derived from embryogenic tissue generally, e.g. embryogenic suspension cultures, seeds, etc."

#### **CLAIMS:**

- 1. A method for fostering somatic embryogenic competence of a plant cell or tissue comprising contacting said plant cell or tissue with a pro-embryogenic arabinosylated protein (AGP) composition comprising a hydrophobic fraction of embryogenic AGP and maintaining the cell or tissue in culture to allow the cell or tissue to undergo somatic embryogenesis.
- 2. The method of Claim 1 wherein the plant cell or tissue is of cotton.
- 3. The method of Claim 1 or 2 wherein the plant cell or tissue is selected from the group consisting of Upland cotton, Pima cotton, Egyptian cotton, Sea Island cotton, G. hirsutum, G. barbadense, tree cotton, Creole cotton, Levant cotton, Sturt's desert rose cotton, Thurber's cotton and Hawaii cotton.
- 4. The method of any of Claims 1 to 3 wherein the plant cell or tissue is of an elite cotton line.
- 5. The method of any of Claims 1 to 4 wherein the pro-embryogenic AGP composition comprises embryogenic AGP of a cotton variety.
- 6. The method of any of Claims 1 to 5 wherein said AGP composition comprises AGP hydrophobic peak #1 from embryogenic callus from a cotton variety selected from the group consisting of Coker 315, Siokra 1-4, and Sicala 40 at a concentration between about 0.008 and about 0.8 mg/L, and wherein said plant cell is of a cotton variety that is recalcitrant to somatic embyrogenesis.
- 7. The method of Claim 5 wherein the pro-embryogenic AGP composition comprises embryogenic AGP selected from the group consisting of de-glycosylated AGP and de-arabinosylated AGP.

- 8. The method of Claim 5 wherein the pro-embryogenic AGP is a protein having the amino acid sequence of SEQ ID NO:25.
- 9. The method of Claim 5 wherein the pro-embryogenic AGP is a protein having the amino acid sequence of SEQ ID NO:26.
- 10. The method of Claim 8 or 9 wherein the protein is trypsin-digested.
- 11. A method for regenerating a plant comprising:
  - a) harvesting a plant cell or tissue from a first plant;
  - b) contacting said plant cell or tissue with an AGP composition comprising a hydrophobic fraction of embryogenic AGP effective for fostering somatic embryogenic competence; and
  - c) regenerating a second plant from said plant cell or tissue of step (b).
- 12. The method of Claim 11 comprising, prior to step (b), the step of transforming said plant cell or tissue whereby a transformed plant is regenerated.
- 13. The method of Claim 11 or 12 wherein the plant is cotton.
- 14. The method of Claim 13 wherein the cotton plant is a variety selected from the group consisting of Upland cotton, Pima cotton, Egyptian cotton, Sea Island cotton, G. hirsutum, G. barbadense, tree cotton, Creole cotton, Levant cotton, Sturt's desert rose cotton, Thurber's cotton and Hawaii cotton.
- 15. The method of Claim 13 wherein the cotton plant is of an elite cotton line.
- 16. The method of any of Claims 13 to 15 wherein the AGP composition comprises an embryogenic AGP of a cotton variety.

- 17. The method of Claim 16 wherein the AGP composition effective for fostering somatic embryogenesis comprises pro-embryogenic AGP selected from the group consisting of de-glycosylated and de-arabinosylated AGP.
- 18. The method of Claim 17 wherein the pro-embryogenic AGP is a protein having the amino acid sequence of SEQ ID NO:25.
- 19. The method of Claim 17 wherein the pro-embryogenic AGP is a protein having the amino acid sequence of SEQ ID NO:26.
- 20. The method of Claim 18 or 19 wherein the protein is trypsin-digested.
- 21. A pro-embryogenic AGP composition comprising a hydrophobic fraction of embryogenic AGP of cotton.
- 22. The composition of Claim 21 wherein the AGP is de-glycosylated or dearabinosylated.
- 23. A pro-embryogenic AGP composition comprising a protein comprising a phytocyanin-like domain of an embryogenic AGP.
- 24. A pro-embryogenic AGP composition according to Claim 23 comprising a protein having the amino acid sequence of SEQ ID NO:25.
- 25. The composition of Claim 24 comprising a trypsin digest of the protein of SEQ ID NO:25.
- 26. A pro-embryogenic AGP composition according to Claim 23 comprising a protein having the amino acid sequence of SEQ ID NO:26.

- 27. The composition of Claim 26 comprising a trypsigen digest of the protein of SEQ ID NO:25.
- 28. A method for making an AGP composition useful for fostering somatic embryogenic competence comprising:
  - a) providing embryogenic callus; and
  - b) harvesting AGP from said embryogenic callus and fractionating the AGP into hydrophilic and hydrophobic fractions and retaining the hydrophobic fraction.
- 29. A method of making pro-embryogenic AGP by expressing a protein comprising a phytocyanin-like domain of an embryogenic AGP.
- 30. The method of Claim 29 wherein the protein has the amino acid sequence of SEQ ID NO:25.
- 31. The method of Claim 29 wherein the protein has the amino acid sequence of SEQ ID NO:26.
- 32. The method of Claim 29 or 30 comprising the added step of contacting the expressed protein with trypsin.